

Scientific References for San Francisco's Cell Phone Right-to-Know Ordinance

Agarwal A, Desai NR, Makker K, Varghese A, Mouradi R, Sabanegh E, et al. 2009. Effects of radiofrequency electromagnetic waves (RF-EMW) from cellular phones on human ejaculated semen: an in vitro pilot study. *Fertil Steril*: in press.

BioInitiative. 2007. BioInitiative Report: A Rationale for a Biologically-based Public Exposure Standard for Electromagnetic Fields (ELF and RF). Available: <http://www.bioinitiative.org/report/index.htm> [accessed January 27, 2009].

Cahill DF. 1983. A suggested limit for population exposure to radiofrequency radiation. *Health Phys* 45(1): 109-26.

Cardis E, Deltour I, Mann S, Moissonnier M, Taki M, Varsier N, et al. 2008. Distribution of RF energy emitted by mobile phones in anatomical structures of the brain. *Phys Med Biol* 53(11): 2771-83.

Cardis, E, Sadetzi, S. 2011. Indications of possible brain-tumour risk in mobile-phone studies: should we be concerned? *Occup. Environ. Med.* 68(3): 169-71.

Conil E, Hadjem A, Lacroux F, Wong MF, Wiart J. 2008. Variability analysis of SAR from 20 MHz to 2.4 GHz for different adult and child models using finite-difference time-domain. *Phys Med Biol* 53(6): 1511-25.

De Iuliis GN, Newey RJ, King BV, Aitken RJ. 2009. Mobile phone radiation induces reactive oxygen species production and DNA damage in human spermatozoa in vitro. *PLoS One* 4(7): e6446.

de Salles AA, Bulla G, Rodriguez CE. 2006. Electromagnetic absorption in the head of adults and children due to mobile phone operation close to the head. *Electromagn Biol Med* 25(4): 349-60.

Divan HA, Kheifets L, Obel C, Olsen J. 2008. Prenatal and postnatal exposure to cell phone use and behavioral problems in children. *Epidemiology* 19(4): 523-9.

Erogul O, Oztas E, Yildirim I, Kir T, Aydur E, Komesli G, et al. 2006. Effects of electromagnetic radiation from a cellular phone on human sperm motility: an in vitro study. *Arch Med Res* 37(7): 840-3.

Fejes I, Zavaczki Z, Szollosi J, Koloszar S, Daru J, Kovacs L, et al. 2005. Is there a relationship between cell phone use and semen quality? *Arch Androl* 51(5): 385-93.

Gandhi OP, Lazzi G, Furse CM. 1996. Electromagnetic absorption in the human head and neck for mobile telephones at 835 and 1900 MHz. *IEEE Transactions on Microwave Theory and Techniques* 44(10): 1884 - 97.

Gandhi OP, Kang G. 2002. Some present problems and a proposed experimental phantom for SAR compliance testing of cellular telephones at 835 and 1900 MHz. *Phys Med Biol* 47(9): 1501-18.

Hardell L, Carlberg M, Hansson Mild K. 2005. Use of cellular telephones and brain tumour risk in urban and rural areas. *Occup Environ Med* 62(6): 390-4.

Hardell L, Carlberg M, Hansson Mild K. 2006a. Pooled analysis of two case-control studies on the use of cellular and cordless telephones and the risk of benign brain tumours diagnosed during 1997-2003. *Int J Oncol* 28(2): 509-18.

Hardell L, Carlberg M, Hansson Mild K. 2006. Pooled analysis of two case-control studies on use of cellular and cordless telephones and the risk for malignant brain tumours diagnosed in 1997-2003. *Int Arch Occup Environ Health* 79(8): 630-9.

Hardell L, Carlberg M, Hansson Mild K. 2009. Epidemiological evidence for an association between use of wireless phones and tumor diseases. *Pathophysiology*: in press.

Hardell L, Mild KH, Carlberg M. 2003. Further aspects on cellular and cordless telephones and brain tumours. *Int J Oncol* 22(2): 399-407.

Hours M, Bernard M, Montestrucq L, Arslan M, Bergeret A, Deltour I, et al. 2007. [Cell Phones and Risk of brain and acoustic nerve tumours: the French INTERPHONE case-control study]. *Rev Epidemiol Sante Publique* 55(5): 321-32.

INTERPHONE Study Group. 2010. Brain tumour risk in relation to mobile telephone use: results of the INTERPHONE international case-control study. *International Journal of Epidemiology* 2010; 1-20.

Kheifets L, Repacholi M, Saunders R, van Deventer E. 2005. The sensitivity of children to electromagnetic fields. *Pediatrics* 116(2): e303-13.

Kundi M. 2009. The Controversy about a Possible Relationship between Mobile Phone Use and Cancer. *Environ Health Perspec* 117(3): 316-24.

Lahkola A, Auvinen A, Raitanen J, Schoemaker MJ, Christensen HC, Feychting M, et al. 2007. Mobile phone use and risk of glioma in 5 North European countries. *Int J Cancer* 120(8): 1769-75.

Lee KS, Choi JS, Hong SY, Son TH, Yu K. 2008. Mobile phone electromagnetic radiation activates MAPK signaling and regulates viability in *Drosophila*. *Bioelectromagnetics* 29(5): 371-9.

Lonn S, Ahlbom A, Hall P, Feychting M. 2004. Mobile phone use and the risk of acoustic neuroma. *Epidemiology* 15(6): 653-9.

Martinez-Burdalo M, Martin A, Anguiano M, Villar R. 2004. Comparison of FDTD-calculated specific absorption rate in adults and children when using a mobile phone at 900 and 1800 MHz. *Phys Med Biol* 49(2): 345-54.

Mild KH, Hardell L, Carlberg M. 2007. Pooled analysis of two Swedish case-control studies on the use of mobile and cordless telephones and the risk of brain tumours diagnosed during 1997-2003. *Int J Occup Saf Ergon* 13(1): 63-71.

NRC. 2008. National Research Council. Identification of Research Needs Relating to Potential Biological or Adverse Health Effects of Wireless Communication.

Russian National Committee on Nonionizing Radiation Protection. 2011. Electromagnetic Fields from Mobile Phones: Health Effect on Children and Teenagers.

Sadetzki S, Chetrit A, Jarus-Hakak A, Cardis E, Deutch Y, Duvdevani S, et al. 2008. Cellular phone use and risk of benign and malignant parotid gland tumors--a nationwide case-control study. *Am J Epidemiol* 167(4): 457-67.

Salama N, Kishimoto T, Kanayama HO. 2009. Effects of exposure to a mobile phone on testicular function and structure in adult rabbit. *Int J Androl*: in press.

Sato Y, Akiba S, Kubo O, Yamaguchi N. 2011. A Case-Case Study of Mobile Phone Use and Acoustic Neuroma Risk in Japan. *Bioelectromagnetics* 32:85-93 (2011).

Saravi FD. 2011. Asymmetries in hip mineralization in mobile cellular phone users. *J Craniofac Surg* 22(2): 706-10.

Schoemaker MJ, Swerdlow AJ, Ahlbom A, Auvinen A, Blaasaas KG, Cardis E, et al. 2005. Mobile phone use and risk of acoustic neuroma: results of the Interphone case-control study in five North European countries. *Br J Cancer* 93(7): 842-8.

Schuz J. 2005. Mobile phone use and exposures in children.

Bioelectromagnetics Suppl 7: S45-50.

Schuz J, Bohler E, Berg G, Schlehofer B, Hettinger I, Schlaefer K, et al. 2006. Cellular phones, cordless phones, and the risks of glioma and meningioma (Interphone Study Group, Germany). *Am J Epidemiol* 163(6): 512-20.

Schuz J, Waldemar G, Olsen JH, Johansen C. 2009. Risks for central nervous system diseases among mobile phone subscribers: a Danish retrospective cohort study. *PLoS ONE* 4(2): e4389.

Wang J, Fujiwara O. 2003. Comparison and Evaluation of Electromagnetic Absorption Characteristics in Realistic Human Head Models of Adult and Children for 900-MHz Mobile Telephones *IEEE Transactions on Microwave Theory and Techniques* 51(3): 966-70.

Wiat J, Hadjem A, Wong MF, Bloch I. 2008. Analysis of RF exposure in the head tissues of children and adults. *Phys Med Biol* 53(13): 3681-95.

Wiedemann PM, Schutz H, Clauberg M. 2008. Influence of information about specific absorption rate (SAR) upon customers' purchase decisions and safety evaluation of mobile phones. *Bioelectromagnetics* 29(2): 133-44.

Yan JG, Agresti M, Bruce T, Yan YH, Granlund A, Matloub HS. 2007. Effects of cellular phone emissions on sperm motility in rats. *Fertil Steril* 88(4): 957-64.