

Spiral CFLs:



Use in these lit up spots:



SF City staff must buy products below which meet these criteria:

Meet Energy Star CFL 4.0 specifications.

Last at least 10,000 rated hours.

Have a maximum of 3.5 mg of toxic mercury.

The amount of mercury in GE CFLs is not publicly available. So GE CFLs are not in this list yet.

Products at the top of this list are most energy efficient and long lasting, and have the least amount of toxic mercury.

| Basic info | | | | | Buy it (Replacing a bulb? You don't have to use the same brand. Ask vendors if products below can be used.) | | Product Details | | | Hours it might last | Brightness | | | Does it help your eyes see well | Toxicity |
|--------------|---------------------|---|------------------------|------------------------------|--|---|-----------------|--------------------|--------------------------------------|---------------------|---|---|--|---|----------------------|
| Manufacturer | Name of CFL Line | Incandescent it can replace (incandescent equivalent) | 3-way/click brightness | Ordering Code | For your home or business | For SF City depts.: Contact approved vendors below and get <u>discounted prices</u> . | Product Code | Watts | MOL or Nominal Length / height (In.) | Average Rated Life | Lumens: Initial (Brightness when first installed) | Lumens: Mean (Brightness at the half of its life) | Energy efficiency (Brightness/lumens per watt (higher = better)) | Color Temp (> 4000K = more like daylight/bluer/ cooler) | Maximum mercury (Hg) |
| Sylvania | Micromini | 100 watts | Not 3-click | CF23EL/MICRO/827/15000HR RP2 | Check with manufacturer | armand@maltbyelectric.com, 415-863-5000 | 26939 | 23 watts | Check with manufacturer | 15,000 | 1,640 | Check with manufacturer | 71 | 2700K (soft white/warm) | 1.5mg |
| Sylvania | Micromini | 100 watts | Not 3-click | CF23EL/MICRO/827/RP3 | Prices, stores | armand@maltbyelectric.com, 415-863-5000 | 28976 | 23 watts | Check with manufacturer | 10,000 | 1,600 | Check with manufacturer | 70 | 2700K (soft white/warm) | 1.5mg |
| Sylvania | Dulux EL Micromini | Check with manufacturer | Not 3-click | CF13EL/MICRO/827/RP3 | Prices, stores | armand@maltbyelectric.com, 415-863-5000 | 26943 | 13 watts | Check with manufacturer | 10,000 | 825 | Check with manufacturer | 63.5 | 2700K (soft white/warm) | 1.5mg |
| Sylvania | Micromini | 60 watts | Not 3-click | CF13EL/MICRO/827BL4/DIS | Check with manufacturer | armand@maltbyelectric.com, 415-863-5000 | 26962 | 13 watts | Check with manufacturer | 12,000 | 825 | Check with manufacturer | 63 | 2700K (soft white/warm) | 1.5mg |
| Sylvania | Micromini | 60 watts | Not 3-click | CF13EL/MICRO/835/RP3 | Check with manufacturer | armand@maltbyelectric.com, 415-863-5000 | 26927 | 13 watts | Check with manufacturer | 10,000 | 825 | Check with manufacturer | 63 | 3500K (bright white) | 1.5mg |
| Sylvania | Dulux EL, Micromini | 40 watts | Not 3-click | CF10EL/MICRO/827/RP2 | Prices, stores | armand@maltbyelectric.com, 415-863-5000 | 29401 | 10 watts | 3.54" | 12,000 | 600 | 372 | 60 | 2700K (soft white/warm) | 1.5mg |
| Sylvania | Micromini | Check with manufacturer | Not 3-click | CF10EL/MICRO/827/RP3 | Check with manufacturer | armand@maltbyelectric.com, 415-863-5000 | 26944 | 10 watts | Check with manufacturer | 10,000 | 600 | Check with manufacturer | 60 | 2700K (soft white/warm) | 1.5mg |
| Philips | Energy Saver 3-way | Check with manufacturer | 3-way/click | HELIX TWISTER EL/3W 11-23-64 | Check with manufacturer | armand@maltbyelectric.com, 415-863-5000 | 211938 | Check with manufac | Check with manufacturer | 10,000 | 750 | Check with manufacturer | Check with manufacturer | 2700K (soft white/warm) | 3.7mg |
| Sylvania | Check with manufact | Check with manufacturer | 3-way/click | CF33EL/3WAY/827 | Prices, stores | armand@maltbyelectric.com, 415-863-5000 | 29747 | Check with manufac | Check with manufacturer | 10,000 | 600 | Check with manufacturer | Check with manufacturer | 2700K (soft white/warm) | 3mg |

Mini-spiral CFLs
are like regular spiral CFLs
(but are shorter)



Use in these lit up spots:



SF City staff must buy products below which meet these criteria:

- Meet Energy Star CFL 4.0 specifications.
- Last at least 10,000 rated hours.
- Have a maximum of 3.5 mg of toxic mercury.

The amount of mercury in GE CFLs is not publicly available. So GE CFLs are not in this list yet.
Products at the top of this list are most energy efficient and long lasting, and have the least amount of toxic mercury.

| Basic info | | | | Buy it (Replacing a bulb? You don't have to use the same brand. Ask vendors if products below can be used.) | | Product Details | | | Hours it might last | Brightness | | | Does it help your eyes see well | Toxicity |
|--------------|---------------------|---|------------------------------|--|---|-----------------|----------|--------------------------------------|---------------------|---|---|--|--|----------------------|
| Manufacturer | Name of CFL Line | Incandescent it can replace (incandescent equivalent) | Ordering Code | For your home or business | For SF City depts.: contact approved vendors below. Then check prices here. | Product Code | Watts | MOL or Nominal Length / height (In.) | Average Rated Life | Lumens: Initial (brightness when first installed) | Lumens: Mean (brightness at the half of its life) | Energy efficiency = Brightness/ lumens per watt (higher = efficient) | Color Temp (> 4000K = more like daylight/ bluer/ cooler) | Maximum mercury (Hg) |
| Sylvania | Micromini | 100 watts | CF23EL/MICRO/827/15000HR RP2 | Check with manufacturer | armand@maltbyelectric.com, 415-863-5000 | 26939 | 23 watts | Check with manufacturer | 15,000 | 1,640 | Check with manufacturer | 71 | 2700K (soft white/warm) | 1.5mg |
| Sylvania | Dulux EL, Micromini | 100 watts | CF23EL/MICRO/827/RP2 | Prices, stores | armand@maltbyelectric.com, 415-863-5000 | 29729 | 23 watts | 4.45" | 12,000 | 1,640 | Check with manufacturer | 71 | 2700K (soft white/warm) | 1.5mg |
| Sylvania | Micromini | 100 watts | CF23EL/MICRO/835/RP3 | Check with manufacturer | armand@maltbyelectric.com, 415-863-5000 | 26928 | 23 watts | Check with manufacturer | 10,000 | 1,630 | Check with manufacturer | 71 | 3500K (bright white/neutral) | 1.5mg |
| Sylvania | Micromini | 100 watts | CF23EL/MICRO/827/RP3 | Prices, stores | armand@maltbyelectric.com, 415-863-5000 | 28976 | 23 watts | Check with manufacturer | 10,000 | 1,600 | Check with manufacturer | 70 | 2700K (soft white/warm) | 1.5mg |
| Sylvania | Micromini | Check with manufacturer | CF20EL/MICRO/827/RP3 | Check with manufacturer | armand@maltbyelectric.com, 415-863-5000 | 26925 | 20 watts | Check with manufacturer | 10,000 | 1,300 | Check with manufacturer | 65 | 2700K (soft white/warm) | 1.5mg |
| Sylvania | Micromini | 75 watts | CF20EL/MICRO/827/RP2 | Prices, stores | armand@maltbyelectric.com, 415-863-5000 | 29728 | 20 watts | 4.3" | 12,000 | 1,280 | 1,024 | 64 | 3000K (soft white/warm) | 1.5mg |
| Sylvania | Dulux EL, Micromini | 75 watts | CF20EL/MICRO/830/ECO | Prices, stores | armand@maltbyelectric.com, 415-863-5000 | 29899 | 20 watts | 4.29" | 12,000 | 1,280 | 1,024 | 64 | 3000K (soft white/warm) | 1.5mg |
| Sylvania | Dulux EL Micro-mini | Check with manufacturer | CF13EL/MICRO/827/RP3 | Prices, stores | armand@maltbyelectric.com, 415-863-5000 | 26943 | 13 watts | Check with manufacturer | 10,000 | 825 | Check with manufacturer | 63.5 | 2700K (soft white/warm) | 1.5mg |
| Sylvania | Dulux EL, Micromini | 60 watts | CF13EL/MICRO/830/ECO | Prices, stores | armand@maltbyelectric.com, 415-863-5000 | 29898 | 13 watts | 3.7" | 12,000 | 825 | 660 | 63 | 3000K (soft white/warm) | 1.5mg |

| Basic info | | | | Buy it (Replacing a bulb? You don't have to use the same brand. Ask vendors if products below can be used.) | | Product Details | | | Hours it might last | Brightness | | | Does it help your eyes see well | Toxicity |
|--------------|----------------------------|---|----------------------------------|--|---|-----------------|----------|--------------------------------------|---------------------|---|---|--|--|----------------------|
| Manufacturer | Name of CFL Line | Incandescent it can replace (incandescent equivalent) | Ordering Code | For your home or business | For SF City depts.: contact approved vendors below. Then check prices here. | Product Code | Watts | MOL or Nominal Length / height (In.) | Average Rated Life | Lumens: Initial (brightness when first installed) | Lumens: Mean (brightness at the half of its life) | Energy efficiency = Brightness/ lumens per watt (higher = efficient) | Color Temp (> 4000K = more like daylight/ bluer/ cooler) | Maximum mercury (Hg) |
| Sylvania | Micromini | Check with manufacturer | CF13EL/MICRO/827/RP2 | Prices, stores | armand@maltbyelectric.com, 415-863-5000 | 29727 | 13 watts | 3.7" | 12,000 | 825 | Check with manufacturer | 63 | 2700K (soft white/warm) | 1.5mg |
| Sylvania | Dulux EL, micromini | 60 watts | CF13EL/MICRO/827/C/RP2 | Prices, stores | armand@maltbyelectric.com, 415-863-5000 | 29734 | 13 watts | 3.61" | 12,000 | 825 | 640 | 63 | 2700K (soft white/warm) | 1.5mg |
| Sylvania | Micromini | 60 watts | CF13EL/MICRO/827BL4/DIS | Check with manufacturer | armand@maltbyelectric.com, 415-863-5000 | 26962 | 13 watts | Check with manufacturer | 12,000 | 825 | Check with manufacturer | 63 | 2700K (soft white/warm) | 1.5mg |
| Sylvania | Micromini | 60 watts | CF13EL/MICRO/835/RP3 | Check with manufacturer | armand@maltbyelectric.com, 415-863-5000 | 26927 | 13 watts | Check with manufacturer | 10,000 | 825 | Check with manufacturer | 63 | 3500K (bright white) | 1.5mg |
| Sylvania | Dulux EL, Micromini | 60 watts | CF13EL/MICROMINI/827/LS/RP2 | Prices, stores | armand@maltbyelectric.com, 415-863-5000 | 29972 | 13 watts | 3.7" | 12,000 | 800 | 640 | 62 | 2700K (soft white/warm) | 1.5mg |
| Philips | Universals | 60 watts | SLS 14 | Prices, stores | Troy.Vaughn@regencylighting.com, 415-845-2269 | 146910 | 14 watts | 4.94" | 12,000 | 860 | Check with manufacturer | 61 | 2700K (soft white/warm) | 2.64mg |
| Sylvania | Dulux EL, Micromini | 40 watts | CF10EL/MICRO/827/RP2 | Prices, stores | armand@maltbyelectric.com, 415-863-5000 | 29401 | 10 watts | 3.54" | 12,000 | 600 | 372 | 60 | 2700K (soft white/warm) | 1.5mg |
| Sylvania | Micromini | Check with manufacturer | CF10EL/MICRO/827/RP3 | Check with manufacturer | armand@maltbyelectric.com, 415-863-5000 | 26944 | 10 watts | Check with manufacturer | 10,000 | 600 | Check with manufacturer | 60 | 2700K (soft white/warm) | 1.5mg |
| Philips | Energy Saver Outdoor Lamps | 90 watts | EL/A PAR38 23W REFLECTOR 2 PIECE | Prices, stores | Troy.Vaughn@regencylighting.com, 415-845-2269 | 157164 | 23 watts | 5.2" | 10,000 | 1,300 | Check with manufacturer | 57 | 2700K (soft white/warm) | 3mg |
| Sylvania | Check with manufacturer | 40 watts | CF9ELG25BL3CLP ALLET | Check with manufacturer | armand@maltbyelectric.com, 415-863-5000 | 29732 | 9 watts | Check with manufacturer | 8,000 | 495 | Check with manufacturer | 55 | 3000K (soft white/warm) | 2mg |
| Philips | Check with manufacturer | 75 watts | EL/A R40 20W DIMM REFLECTOR | Prices, stores | Troy.Vaughn@regencylighting.com, 415-845-2269 | 137083 | 20 watts | Check with manufacturer | 8,000 | 900 | Check with manufacturer | 45 | 2700K (soft white/warm) | 1.23mg |
| Philips | Check with manufacturer | 77 watts | EL/A SWP 20W | Prices, stores | Troy.Vaughn@regencylighting.com, 415-845-2269 | 200808 | 20 watts | Check with manufacturer | 8,000 | 1,100 | Check with manufacturer | 55 | 2700K (soft white/warm) | 2.8mg |

| Basic info | | | | Buy it (Replacing a bulb? You don't have to use the same brand. Ask vendors if products below can be used.) | | Product Details | | | Hours it might last | Brightness | | | Does it help your eyes see well | Toxicity |
|--------------|------------------------------|---|----------------------------|--|---|-----------------|----------|--------------------------------------|---------------------|---|---|--|--|----------------------|
| Manufacturer | Name of CFL Line | Incandescent it can replace (incandescent equivalent) | Ordering Code | For your home or business | For SF City depts.: contact approved vendors below. Then check prices here. | Product Code | Watts | MOL or Nominal Length / height (In.) | Average Rated Life | Lumens: Initial (brightness when first installed) | Lumens: Mean (brightness at the half of its life) | Energy efficiency = Brightness/ lumens per watt (higher = efficient) | Color Temp (> 4000K = more like daylight/ bluer/ cooler) | Maximum mercury (Hg) |
| Philips | Check with manufacturer | 65 watts | EL/A R30 16 DIMM REFLECTOR | Prices, stores | Troy.Vaughn@regencylighting.com, 415-845-2269 | 137075 | 16 watts | Check with manufacturer | 8,000 | 630 | Check with manufacturer | 39 | 2700K (soft white/warm) | 2.8mg |
| Sylvania | Dulux EL | 60 watts | CF14EL/R20/827 | Prices, stores | armand@maltbyelectric.com, 415-863-5000 | 29760 | 14 watts | Check with manufacturer | 8,000 | 500 | Check with manufacturer | 36 | 2700K (soft white/warm) | 2mg |
| Sylvania | Dulux EL | 40 watts | CF9EL/A15/BL2 | Prices, stores | armand@maltbyelectric.com, 415-863-5000 | 29791 | 9 watts | 4" | 8,000 | 450 | 360 | 50 | 2700K (soft white/warm) | 3.5mg |
| Philips | Check with manufacturer | Check with manufacturer | EL/A G30 16W | Prices, stores | Troy.Vaughn@regencylighting.com, 415-845-2269 | 211060 | 16 watts | Check with manufacturer | 8,000 | 900 | Check with manufacturer | 56 | 2700K (soft white/warm) | 3.5mg |
| Philips | Check with manufacturer | Check with manufacturer | EL/A G40 23W | Prices, stores | Troy.Vaughn@regencylighting.com, 415-845-2269 | 211078 | 23 watts | Check with manufacturer | 8,000 | 1,400 | Check with manufacturer | 61 | 2700K (soft white/warm) | 3.5mg |
| Philips | Energy Saver Soft White Plus | 25 watts | EL/A SWP 9W | Prices, stores | Troy.Vaughn@regencylighting.com, 415-845-2269 | 156991 | 9 watts | Check with manufacturer | 8,000 | 450 | Check with manufacturer | 50 | 2700K (soft white/warm) | 3mg |
| Philips | Energy Saver A-Shapes | 60 watts | EL/A SWP 14W | Prices, stores | Troy.Vaughn@regencylighting.com, 415-845-2269 | 157008 | 14 watts | Check with manufacturer | 8,000 | 800 | Check with manufacturer | 57 | 2700K (soft white/warm) | 3mg |
| Philips | Check with manufacturer | Check with manufacturer | EL/O 14W PRISMA | Prices, stores | Troy.Vaughn@regencylighting.com, 415-845-2269 | 407783 | 14 watts | Check with manufacturer | 8,000 | 840 | Check with manufacturer | 60 | 2700K (soft white/warm) | 3mg |
| Philips | Check with manufacturer | Check with manufacturer | EL/O 18W PRISMA | Check with manufacturer | Troy.Vaughn@regencylighting.com, 415-845-2269 | 405803 | 18 watts | Check with manufacturer | 8,000 | 1,100 | Check with manufacturer | 61 | 2700K (soft white/warm) | 3mg |
| Sylvania | Dulux EL | 75 watts | CF23ELPAR38827 BL1 | Prices, stores | armand@maltbyelectric.com, 415-863-5000 | 29625 | 23 watts | Check with manufacturer | 8,000 | 1,200 | Check with manufacturer | 52 | 2700K (soft white/warm) | 3mg |

| Basic info | | | | Buy it (Replacing a bulb? You don't have to use the same brand. Ask vendors if products below can be used.) | | Product Details | | | Hours it might last | Brightness | | | Does it help your eyes see well | Toxicity |
|--------------|-------------------------|---|-------------------------------|--|---|-----------------|-------------------------|--------------------------------------|---------------------|---|---|--|--|----------------------|
| Manufacturer | Name of CFL Line | Incandescent it can replace (incandescent equivalent) | Ordering Code | For your home or business | For SF City depts.: contact approved vendors below. Then check prices here. | Product Code | Watts | MOL or Nominal Length / height (In.) | Average Rated Life | Lumens: Initial (brightness when first installed) | Lumens: Mean (brightness at the half of its life) | Energy efficiency = Brightness/ lumens per watt (higher = efficient) | Color Temp (> 4000K = more like daylight/ bluer/ cooler) | Maximum mercury (Hg) |
| Philips | Energy Saver Floods | 60 watts | EL/A R20 14W | Prices, stores | Troy.Vaughn@regencylighting.com, 415-845-2269 | 157016 | 14 watts | Check with manufacturer | 8,000 | 500 | Check with manufacturer | 36 | 2700K (soft white/warm) | 3mg |
| Sylvania | Dulux EL, BR40 | 100 watts | CF23/BR40/827/BL | Prices, stores | armand@maltbyelectric.com, 415-863-5000 | 29706 | 23 watts | Check with manufacturer | 8,000 | 1,250 | Check with manufacturer | 54 | 2700K (soft white/warm) | 3mg |
| Philips | Energy Saver Floods | 75 watts | EL/A PAR38 20W DIMM REFLECTOR | Prices, stores | Troy.Vaughn@regencylighting.com, 415-845-2269 | 146449 | 20 watts | 6.03" | 8,000 | 850 | Check with manufacturer | 43 | 2700K (soft white/warm) | 3mg |
| Philips | Energy Saver | 90 watts | EL/A PAR 38 23W | Prices, stores | Troy.Vaughn@regencylighting.com, 415-845-2269 | 229831 | 23 watts | Check with manufacturer | 8,000 | 1,300 | Check with manufacturer | 57 | 2700K (soft white/warm) | 3mg |
| Philips | Energy Saver Floods | Check with manufacturer | EL/A R40 23W REFLECTOR | Prices, stores | Troy.Vaughn@regencylighting.com, 415-845-2269 | 157024 | 23 watts | 6.5" | 8,000 | 1,250 | Check with manufacturer | 54 | 2700K (soft white/warm) | 3mg |
| Sylvania | Check with manufacturer | Check with manufacturer | CF33EL/3WAY/827 | Prices, stores | armand@maltbyelectric.com, 415-863-5000 | 29747 | Check with manufacturer | Check with manufacturer | 10,000 | 600 | Check with manufacturer | Check with manufacturer | 2700K (soft white/warm) | 3mg |

A-shape CFLs:

Use in these lit up spots:



SF City staff must buy products below which meet these criteria:

Meet Energy Star CFL 4.0 specifications.

Last at least 8,000 rated hours.

Have a maximum of 3.5 mg of toxic mercury.

The amount of mercury in GE CFLs is not publicly available. So GE CFLs are not in this list yet.

Products at the top of this list are most energy efficient and long lasting, and have the least amount of toxic mercury.

| Basic info | | | | | | Buy it (Replacing a bulb? You don't have to use the same brand. Ask vendors if products below can be used.) | | Product details | | | Hours it might last | Brightness | | | Does it help your eyes see well | Toxicity |
|------------|--------------|------------------------------|---|-------------------------|-----------------------|--|---|-----------------|----------|--------------------------------------|---------------------|---|---|--|--|----------------------|
| Shape | Manufacturer | Name of CFL Line | Incandescent it can replace (incandescent equivalent) | Dimmable | Ordering Code | For your home or business | For SF City depts.: contact approved vendors below. Then check prices here. | Product Code | Watts | MOL or Nominal Length / height (In.) | Average Rated Life | Lumens: Initial (brightness when first installed) | Lumens: Mean (brightness at the half of its life) | Energy efficiency (Brightness/ lumens per watt (higher = efficient)) | Color Temp (> 4000K = more like daylight/ bluer/ cooler) | Maximum mercury (Hg) |
| Post | Philips | Check with manufacturer | Check with manufacturer | Check with manufacturer | EL/O 18W PRISMA | Check with manufacturer | Troy.Vaughn@regencylighting.com, 415-845-2269 | 405803 | 18 watts | Check with manufacturer | 8,000 | 1,100 | Check with manufacturer | 61 | 2700K (soft white/warm) | 3mg |
| Globe | Philips | Check with manufacturer | Check with manufacturer | Check with manufacturer | EL/A G40 23W | Prices , Stores | Troy.Vaughn@regencylighting.com, 415-845-2269 | 211078 | 23 watts | Check with manufacturer | 8,000 | 1,400 | Check with manufacturer | 61 | 2700K (soft white/warm) | 3.5mg |
| Post | Philips | Check with manufacturer | Check with manufacturer | Check with manufacturer | EL/O 14W PRISMA | Check with manufacturer | Troy.Vaughn@regencylighting.com, 415-845-2269 | 407783 | 14 watts | Check with manufacturer | 8,000 | 840 | Check with manufacturer | 60 | 2700K (soft white/warm) | 3mg |
| A19 | Philips | Energy Saver A-Shapes | 60 watts | Check with manufacturer | EL/A SWP 14W | Prices , Stores | Troy.Vaughn@regencylighting.com, 415-845-2269 | 157008 | 14 watts | Check with manufacturer | 8,000 | 800 | Check with manufacturer | 57 | 2700K (soft white/warm) | 3mg |
| Globe | Philips | Check with manufacturer | Check with manufacturer | Check with manufacturer | EL/A G30 16W | Prices , Stores | Troy.Vaughn@regencylighting.com, 415-845-2269 | 211060 | 16 watts | Check with manufacturer | 8,000 | 900 | Check with manufacturer | 56 | 2700K (soft white/warm) | 3.5mg |
| A19 | Philips | Check with manufacturer | 77 watts | Check with manufacturer | EL/A SWP 20W | Prices , Stores | Troy.Vaughn@regencylighting.com, 415-845-2269 | 200808 | 20 watts | Check with manufacturer | 8,000 | 1,100 | Check with manufacturer | 55 | 2700K (soft white/warm) | 2.8mg |
| Globe | Sylvania | Check with manufacturer | 40 watts | Check with manufacturer | CF9ELG25B L3CLPALLE T | Check with manufacturer | armand@maltbyelect ric.com, 415-863-5000 | 29732 | 9 watts | Check with manufacturer | 8,000 | 495 | Check with manufacturer | 55 | 3000K (soft white/warm) | 2mg |
| A15 | Sylvania | Dulux EL | 40 watts | Check with manufacturer | CF9EL/A15/ BL2 | Prices , Stores | armand@maltbyelect ric.com, 415-863-5000 | 29791 | 9 watts | 4" | 8,000 | 450 | 360 | 50 | 2700K (soft white/warm) | 3.5mg |
| A17 | Philips | Energy Saver Soft White Plus | 25 watts | Check with manufacturer | EL/A SWP 9W | Prices , Stores | Troy.Vaughn@regencylighting.com, 415-845-2269 | 156991 | 9 watts | Check with manufacturer | 8,000 | 450 | Check with manufacturer | 50 | 2700K (soft white/warm) | 3mg |

Tubed CFLs:

Use in these lit up spots:



SF City staff must buy products below which meet these criteria:

Meet Energy Star CFL 4.0 specifications.

Last at least 10,000 rated hours.

Have a maximum of 3.5 mg of toxic mercury.

The amount of mercury in GE CFLs is not publicly available. So GE CFLs are not in this list yet.

Products at the top of this list are most energy efficient, longest lasting, and have the least amount of toxic me

| Basic info | | | | Buy it (Replacing a bulb? You don't have to use the same brand. Ask vendors if products below can be used.) | | Product Details | | | Hours it might last | Brightness | | Does it help your eyes see well | Toxicity |
|--------------|------------------|---|---------------|--|---|------------------------|----------|--------------------------------------|---------------------|---|--|--|----------------------|
| Manufacturer | Name of CFL Line | Incandescent it can replace (incandescent equivalent) | Ordering Code | For your home or business | For SF City depts.: contact approved vendors below. Then check prices here. | Product Code | Watts | MOL or Nominal Length / height (In.) | Average Rated Life | Lumens: Initial (brightness when first installed) | Energy efficiency (Brightness/ lumens per watt (higher = efficient)) | Color Temp (> 4000K = more like daylight/ bluer/ cooler) | Maximum mercury (Hg) |
| Philips | Universals | 60 watts | SLS 14 | Prices, stores | Troy.Vaughn@regencylighting.com, 415-845-2269 | 146910 | 14 watts | 4.94" | 12,000 | 860 | 61 | 2700K (soft white/warm) | 2.64mg |